


Kawamura

KAWAMURA ELECTRIC INDUSTRIAL CO., LTD.




Safety Cover Knife Switch

SINGLE THROW



WK-101~WK-110




WK-121~WK-130


ART.NO.	POLE	AMP.	Std.pkg	Cft.	G.W. (kg)	MATERIALS	
						Cover	Base
WK-101	2 P	15A	70	1.4	22	Plastic	Porcelain
WK-102	2 P	20A	70	1.4	22	"	"
WK-103	2 P	30A	56	1.8	26	"	"
WK-104	2 P	60A	30	1.7	25	"	"
WK-105	2 P	100A	12	1.3	21	"	"
WK-106	2 P	150A	6	1.3	15	"	Plastic
WK-107	2 P	200A	6	1.3	16	"	"
WK-108	2 P	300A	3	1.8	17	"	"
WK-109	2 P	400A	1	1.2	13	"	"
WK-110	2 P	500A	1	1.2	14	"	"

ART.NO.	POLE	AMP.	Std.pkg	Cft.	G.W. (kg)	MATERIALS	
						Cover	Base
WK-121	3 P	15A	56	1.5	24	Plastic	Porcelain
WK-122	3 P	20A	56	1.5	24	"	"
WK-123	3 P	30A	40	1.6	26	"	"
WK-124	3 P	60A	24	2.0	29	"	"
WK-125	3 P	100A	10	1.4	23	"	"
WK-126	3 P	150A	6	1.7	27	"	"
WK-127	3 P	200A	4	1.5	24	"	"
WK-128	3 P	300A	2	1.4	16	"	Plastic
WK-129	3 P	400A	1	1.9	18	"	"
WK-130	3 P	500A	1	1.9	19	"	"

DOUBLE THROW



WK-141~WK-147



WK-151~WK-158




ART.NO.	POLE	AMP.	Std.pkg	Cft.	G.W. (kg)	MATERIALS	
						Cover	Base
WK-141	2 P	15A	45	1.1	16	Plastic	Porcelain
WK-142	2 P	20A	45	1.1	16	"	"
WK-143	2 P	30A	40	1.2	20	"	"
WK-144	2 P	60A	30	1.8	27	"	"
WK-145	2 P	100A	10	1.2	21	"	"
WK-146	2 P	150A	6	2.1	29	"	"
WK-147	2 P	200A	6	2.1	30	"	"
WK-148	2 P	300A	4	2.1	30	"	"

ART.NO.	POLE	AMP.	Std.pkg	Cft.	G.W. (kg)	MATERIALS	
						Cover	Base
WK-151	3 P	15A	40	1.2	20	Plastic	Porcelain
WK-152	3 P	20A	40	1.2	20	"	"
WK-153	3 P	30A	30	1.3	21	"	"
WK-154	3 P	60A	15	1.6	20	"	"
WK-155	3 P	100A	8	1.6	23	"	"
WK-156	3 P	150A	6	2.2	33	"	"
WK-157	3 P	200A	2	1.0	15	"	"
WK-158	3 P	300A	2	1.2	19	"	"



Dimensions For Safety Cover Knife Switch




SINGLE THROW(PORCELAIN BASE)



ART # & RATING	A	B	C	D	H	H'	I	M	Y	X
WK-101 ST 2P 15A	126.5	109.5	51	50	26.5		63.5	10	29.5	5 ϕ
WK-102 ST 2P 20A	126.5	109.5	51	50	26.5		63.5	10	29.5	5 ϕ
WK-103 ST 2P 30A	154	134.5	56	58	29		82.5	14	34	5.5 ϕ
WK-104 ST 2P 60A	195.5	168	63	73	32.6		113	17	40	5.5 ϕ
WK-105 ST 2P 100A	232.5	205	85.5	93	42.5		141.5	24	50	7 ϕ
WK-121 ST 3P 15A	126.5	109.5	69	50	22.5	22.5	63.5	10	29.5	5 ϕ
WK-122 ST 3P 20A	126.5	109.5	69	50	22.5	22.5	63.5	10	29.5	5 ϕ
WK-123 ST 3P 30A	156	134.5	78	58	25	25	82.5	14	34	5.5 ϕ
WK-124 ST 3P 60A	199.5	168	93	73	30	30	113	17	40	5.5 ϕ
WK-125 ST 3P 100A	237.5	205	118	93	38	38	141.5	24	50	7 ϕ
WK-126 ST 3P 150A	294	234	140	121	45	45	150	26	67	7 ϕ
WK-127 ST 3P 200A	316	259	165	138	54	54	187	24	72	7 ϕ

(mm)




SINGLE THROW(PLASTIC BASE)



ART # & RATING	A	B	C	D	E	F	G	H	Q
WK-106 ST 2P 150A	108	252	128	300	213	—	183.5	20.5	7
WK-107 ST 2P 200A	108	252	128	300	213	—	183.5	20.5	7
WK-108 ST 2P 300A	145	305	155	360	280	—	200	40	7
WK-109 ST 2P 400A	170	440	217	492	352	—	270	70	8
WK-110 ST 2P 500A	170	440	217	492	352	—	270	70	8
WK-128 ST 3P 300A	206	305	155	360	280	65	200	40	7
WK-129 ST 3P 400A	256	440	217	492	352	86	270	70	8
WK-130 ST 3P 500A	256	440	217	492	352	86	270	70	8

(mm)

DOUBLE THROW(PORCELAIN BASE)



ART # & RATING	A	B	C	D	E	F	G	H
CS 2P 15A/20A	92	111	54	66	99	26	10	72
CS 2P 30A DT	102	125	55	71.5	107	28	12	78
CS 2P 60A DT	132	165	65	95	146	32.5	19	94
CS 2P 100A DT	183	219	87	126	186	42.5	23	137
CS 2P 150A DT	224	275	100	146	233	50	30	164
CS 2P 200A DT	244	292	120	161	248	58	37	170
CS 2P 300A DT	268	319	125	180	277	60	34	200
CS 3P 15A/20A	92	114	72	66	102	23	10	72
CS 3P 30A DT	102	131	77	71.5	107	25	12	78
CS 3P 60A DT	132	165	93	95	146	30	19	94
CS 3P 100A DT	183	219	118	126	186	38	23	137
CS 3P 150A DT	224	275	143	146	233	45	30	164
CS 3P 200A DT	244	292	170	161	242	54	37	170
CS 3P 300A DT	268	319	182	180	268	60	34	200

(mm)